

Current Gene List: z.motif.list

Current Background: Homo sapiens

11 DAVID IDs

+ Options

Rerun Using Options

Create Sublist

1 chart records

 [Download File](#)

| Sublist | Category | Term | RT | Genes | Count | % | P-Value | Benjamini |
|--------------------------|--------------|---------------------------------------|--------------------|---|-------|------|---------|-----------|
| <input type="checkbox"/> | KEGG_PATHWAY | p53 signaling pathway | RT |  | 2 | 18.2 | 6.5E-2 | 4.5E-1 |

8 gene(s) from your list are not in the output

Current Background: Homo sapiens
702 DAVID IDs

Options

Rerun Using Options Create Sublist

[Download File](#)

231 chart records

| Sublist | Category | Term | RT | Genes | Count | % | P-Value | Benjamin |
|--------------------------|-----------------|---|----|-------|-------|------|---------|----------|
| <input type="checkbox"/> | SP_PIR_KEYWORDS | polymorphism | RT | | 556 | 79.2 | 5.1E-32 | 2.5E-29 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | alternative splicing | RT | | 338 | 48.1 | 3.8E-8 | 9.3E-6 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | glycoprotein | RT | | 215 | 30.6 | 6.7E-8 | 1.1E-5 |
| <input type="checkbox"/> | INTERPRO | EGF-like region, conserved site | RT | | 32 | 4.6 | 9.6E-8 | 9.4E-5 |
| <input type="checkbox"/> | GOTERM_BP_FAT | cell adhesion | RT | | 54 | 7.7 | 1.1E-7 | 2.2E-4 |
| <input type="checkbox"/> | GOTERM_BP_FAT | biological adhesion | RT | | 54 | 7.7 | 1.1E-7 | 1.1E-4 |
| <input type="checkbox"/> | GOTERM_MF_FAT | extracellular matrix structural constituent | RT | | 16 | 2.3 | 4.3E-7 | 2.7E-4 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | cell adhesion | RT | | 38 | 5.4 | 5.5E-7 | 6.6E-5 |
| <input type="checkbox"/> | GOTERM_CC_FAT | plasma membrane | RT | | 180 | 25.6 | 2.1E-6 | 8.3E-4 |
| <input type="checkbox"/> | PIR_SUPERFAMILY | PIRSF038286:preferentially expressed antigen of melanoma (PRAME) family protein | RT | | 8 | 1.1 | 3.3E-6 | 7.5E-4 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | disulfide bond | RT | | 149 | 21.2 | 4.8E-6 | 4.7E-4 |
| <input type="checkbox"/> | GOTERM_BP_FAT | homophilic cell adhesion | RT | | 17 | 2.4 | 1.5E-5 | 9.6E-3 |
| <input type="checkbox"/> | GOTERM_BP_FAT | cell-cell adhesion | RT | | 26 | 3.7 | 1.5E-5 | 7.6E-3 |
| <input type="checkbox"/> | INTERPRO | EGF-like, type 3 | RT | | 21 | 3.0 | 2.7E-5 | 1.3E-2 |
| <input type="checkbox"/> | INTERPRO | MAGE protein | RT | | 9 | 1.3 | 2.8E-5 | 9.2E-3 |
| <input type="checkbox"/> | KEGG_PATHWAY | Graft-versus-host disease | RT | | 9 | 1.3 | 4.0E-5 | 5.3E-3 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | tumor antigen | RT | | 9 | 1.3 | 4.9E-5 | 4.0E-3 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | egf-like domain | RT | | 22 | 3.1 | 8.7E-5 | 6.0E-3 |
| <input type="checkbox"/> | INTERPRO | Neuroblastoma breakpoint family | RT | | 5 | 0.7 | 1.1E-4 | 2.6E-2 |
| <input type="checkbox"/> | GOTERM_BP_FAT | cellular component morphogenesis | RT | | 30 | 4.3 | 1.7E-4 | 6.6E-2 |
| <input type="checkbox"/> | PIR_SUPERFAMILY | PIRSF003152:G protein-coupled olfactory receptor, class II | RT | | 26 | 3.7 | 2.8E-4 | 3.2E-2 |
| <input type="checkbox"/> | PIR_SUPERFAMILY | PIRSF800006:rhodopsin-like G protein-coupled receptors | RT | | 41 | 5.8 | 3.1E-4 | 2.3E-2 |
| <input type="checkbox"/> | GOTERM_BP_FAT | sensory perception of smell | RT | | 31 | 4.4 | 3.1E-4 | 9.7E-2 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | coiled coil | RT | | 102 | 14.5 | 3.2E-4 | 1.9E-2 |
| <input type="checkbox"/> | GOTERM_BP_FAT | cell morphogenesis | RT | | 27 | 3.8 | 3.7E-4 | 1.0E-1 |
| <input type="checkbox"/> | GOTERM_BP_FAT | sensory perception of chemical stimulus | RT | | 33 | 4.7 | 4.0E-4 | 9.3E-2 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | olfaction | RT | | 30 | 4.3 | 4.0E-4 | 2.1E-2 |
| <input type="checkbox"/> | KEGG_PATHWAY | Olfactory transduction | RT | | 27 | 3.8 | 4.3E-4 | 2.8E-2 |
| <input type="checkbox"/> | KEGG_PATHWAY | Antigen processing and presentation | RT | | 11 | 1.6 | 4.7E-4 | 2.1E-2 |
| <input type="checkbox"/> | PIR_SUPERFAMILY | PIRSF005491:tumor associated protein MAGE | RT | | 6 | 0.9 | 5.2E-4 | 2.9E-2 |

Current Gene List: z.premature.list**Current Background: Homo sapiens****86 DAVID IDs****Options**

Rerun Using Options

Create Sublist

43 chart records[Download File](#)

| Sublist | Category | Term | RT | Genes | Count | % | P-Value | Benjamini |
|--------------------------|-----------------|--|----|-------|-------|------|---------|-----------|
| <input type="checkbox"/> | PIR_SUPERFAMILY | PIRSF800006:rhodopsin-like G protein-coupled receptors | RT | | 12 | 14.0 | 1.3E-5 | 3.2E-4 |
| <input type="checkbox"/> | GOTERM_MF_FAT | olfactory receptor activity | RT | | 10 | 11.6 | 4.0E-5 | 5.3E-3 |
| <input type="checkbox"/> | GOTERM_BP_FAT | sensory perception of smell | RT | | 10 | 11.6 | 5.4E-5 | 1.7E-2 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | olfaction | RT | | 10 | 11.6 | 7.3E-5 | 9.2E-3 |
| <input type="checkbox"/> | GOTERM_BP_FAT | sensory perception of chemical stimulus | RT | | 10 | 11.6 | 1.2E-4 | 1.9E-2 |
| <input type="checkbox"/> | INTERPRO | Olfactory receptor | RT | | 10 | 11.6 | 1.4E-4 | 2.4E-2 |
| <input type="checkbox"/> | PIR_SUPERFAMILY | PIRSF003152:G protein-coupled olfactory receptor, class II | RT | | 8 | 9.3 | 2.1E-4 | 2.5E-3 |
| <input type="checkbox"/> | KEGG_PATHWAY | Olfactory transduction | RT | | 9 | 10.5 | 4.2E-4 | 1.7E-2 |
| <input type="checkbox"/> | INTERPRO | GPCR, rhodopsin-like superfamily | RT | | 12 | 14.0 | 4.3E-4 | 3.7E-2 |
| <input type="checkbox"/> | INTERPRO | 7TM GPCR, rhodopsin-like | RT | | 12 | 14.0 | 4.4E-4 | 2.5E-2 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | g-protein coupled receptor | RT | | 12 | 14.0 | 8.2E-4 | 5.1E-2 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | sensory transduction | RT | | 10 | 11.6 | 1.1E-3 | 4.7E-2 |
| <input type="checkbox"/> | GOTERM_BP_FAT | sensory perception | RT | | 11 | 12.8 | 1.4E-3 | 1.4E-1 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | transducer | RT | | 12 | 14.0 | 1.4E-3 | 4.4E-2 |
| <input type="checkbox"/> | GOTERM_BP_FAT | G-protein coupled receptor protein signaling pathway | RT | | 13 | 15.1 | 1.6E-3 | 1.2E-1 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | disulfide bond | RT | | 24 | 27.9 | 2.9E-3 | 7.0E-2 |
| <input type="checkbox"/> | GOTERM_BP_FAT | cognition | RT | | 11 | 12.8 | 3.3E-3 | 1.9E-1 |
| <input type="checkbox"/> | UP_SEQ_FEATURE | glycosylation site:N-linked (GlcNAc...) | RT | | 30 | 34.9 | 3.6E-3 | 7.1E-1 |
| <input type="checkbox"/> | UP_SEQ_FEATURE | disulfide bond | RT | | 23 | 26.7 | 3.7E-3 | 4.7E-1 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | glycoprotein | RT | | 31 | 36.0 | 3.9E-3 | 7.8E-2 |
| <input type="checkbox"/> | UP_SEQ_FEATURE | transmembrane region | RT | | 33 | 38.4 | 6.7E-3 | 5.4E-1 |
| <input type="checkbox"/> | GOTERM_BP_FAT | neurological system process | RT | | 12 | 14.0 | 8.5E-3 | 3.7E-1 |
| <input type="checkbox"/> | SP_PIR_KEYWORDS | transmembrane | RT | | 33 | 38.4 | 9.0E-3 | 1.5E-1 |